LISTING OF CLAIMS

505 (1)

(currently amended) A method for displaying <u>program</u>

<u>messages character strings</u> on GUI environment <u>as text</u>

<u>file character strings</u> provided by a computer program,

comprising the steps of:

- (a) providing an executable program;
- (b) providing a text file including <u>descriptions of</u>

 <u>text file said</u> character strings and being openable

 with said executable program;
 - (c) executing said executable program;
- (d) <u>automatically</u> opening the text file and retrieving said <u>text file</u> character strings from the executable program so that program messages can be generated as text file character strings; and

JP920000027

-24

- (e) displaying program messages as text file the character strings included in the opened text file.
- (2) (currently amended) The method of Claim 1 wherein said text file further includes a search key and wherein said opening and displaying comprise the steps of:

searching said search key;

retrieving the <u>text file</u> character strings in said text file when said search key enabled is detected in said searching;

displaying program messages in the retrieved text file character strings; and

displaying <u>program messages in</u> character strings embedded in said executable program when the search key disabled is detected in said searching.

(3) (canceled)

- (4) (canceled)
- (5) (currently amended) A method for creating a computer program enabling program messages character strings to be displayed on GUI environment as text file character strings, including the steps of:

describing a code for providing said GUI environment;

describing a code for <u>automatically</u> opening a text file including said <u>text</u> file character strings; and

describing a code for displaying <u>program message as</u> character strings <u>as</u> described in said opened text file.

(6) (currently amended) A method for creating a computer program of Claim 5 further comprising describing a default character string and wherein said describing a code for opening a text file and said describing a code

p.6



Serial No. 09/755,308 Art Unit No. 2671

> for displaying program messages as character strings comprise the steps of:

> describing a code for searching a search key of a text file including a selected text file character string; and

> describing a code for displaying said selected text file character string when said search key to be enabled is detected and for displaying said default character string when said search key of said text file to be disabled is detected.

(7) (currently amended) A recording medium for recording a computer program enabling program messages character strings to be displayed on GUI environment as text file character strings and enabling a computer to read said recorded computer program, \including:

a code for providing said GUI\ environment;

a code for <u>automatically</u> opening a text file including said <u>text file</u> character strings; and

a code for displaying program message as said character strings as described in said opened text file.

(8) (currently amended) The recording medium for recording a computer program of Claim 7 further comprising a code for providing a default character string and wherein said code for opening comprises a code for searching a search key of a text file including a selected text file character string, and wherein said code for displaying comprises a code for displaying said text file selected character string when said search key to be enabled is detected and a code for displaying said default character string when said search key to be disabled is detected.

(9) (currently amended) A method for creating a computer program including control-related character strings, including the steps of;



- (a) creating a text file describing said control-related text file character strings; and
- (b) creating a program file describing a code for automatically opening said text file to generate control related program messages as said text file character strings
- (10) (currently amended) The method for creating a computer program of Claim 9 wherein said creating a text file comprises creating a text file including a selected control-related text file character string and a search key; and, wherein said creating a program file comprises creating a program file including a default character string and a code for automatically shifting control to said selected control-related text file character string when said search key to be enabled is detected and giving control to said default character string when said search key to be disabled is detected.

CMT

p.9



Serial No. 09/755,308 Art Unit No. 2671

(11) (currently amended) A program storage device readable by machine tangibly embodying a program of instructions executable by the machine to perform a method to generate structure of a computer program including at least one control-related text file character string related to computer control, said method including the steps of:

a code for automatically opening a text file including said at least one control-related text file character string to generate control related program messages as said text file character strings; and

described in said opened text file to control said computer.

(12) (currently amended) The <u>program storage device</u>

structure of a computer program of Claim 11 further comprising a default character string and wherein said ede for opening a text file comprises a code for searching a search key of a text file including a

JP920000027

-8-

p.10



Serial No. 09/755,308 Art Unit No. 2671

> selected control related text file character string; and wherein said epde for using at least one character string comprises \alpha code for using said selected control-related text file character string to control said computer when said search key to be enabled is detected and a code for using said default character string to control said computer when said search key to be disabled is detected.